

# RIVET RACKING

 01553 666018

 [www.racking365.co.uk](http://www.racking365.co.uk)

 [sales@racking365.co.uk](mailto:sales@racking365.co.uk)



## PRODUCT SPOTLIGHT



# RIVET RACKING

**Offers incredible value for money, whilst offering amazing strength and rigidity.**

The system is simple to build with all parts being tapped together using a rubber mallet. All components are joined via the heavy duty rivet and key hole slot which offers a simple and effective way to assemble the racking.

There are no nuts and bolts and the bays require no bracing therefore offering uninterrupted access on all four sides. Bays are available in various heights up to 3660mm high.

With the average time to assemble a bay being just 5 minutes, you will be amazed at how easy it is to create large installations in no time at all. All bays are ready for immediate dispatch and will be delivered in 5 working days.

- **Best Selling system**  
Offers the widest choice of sizes, all at great value
- **Easy to build and re-configure**  
Simply tap together with a rubber mallet
- **Strong and sturdy**  
With shelf capacities up to 600kgs, it easily copes with heavy goods
- **No nuts, bolts or screws**  
Simple and quick to erect, with no fuss
- **Strong epoxy paint finish**  
Designed to give years of service and withstand heavy use
- **Will suit any application**  
Versatile and expandable, suits a wide range of industries
- **Guaranteed delivery in 5 days**  
There when you need it, without fail

scan for  
videos | assembly




storagecatalogue.co.uk  
/rivet





### Heavy & Medium Rivet

Incredible value for money, amazing strength and rigidity. Bays come complete with 3 or more levels and have a central deck support on bays 1220mm to 2135mm wide, whilst 2440mm wide bays have two per level.



### J Rivet

Our J rivet system has unbeatable strength at an incredible price. It is also manufactured to the highest quality. The shallow J beam profile (only 30mm thick) gives increased storage capacity whilst maintaining excellent strength.




Heights	Widths	Depths	Application	Construction	Loadings
Standard Bay Height (mm) <b>1830</b>	<b>Heavy Rivet</b> Widths (mm) <b>915, 1220, 1525, 1830, 2135, 2440</b>	<b>Heavy Rivet</b> Depths (mm) <b>305, 457, 610, 762, 915, 1220</b>	Environment <b>Warehouse, Storeroom, Workshop</b>	Uprights: <b>Steel</b> Blue RAL5010	<b>Heavy Rivet</b> Shelf UDL <b>400-600kg</b>
Other Available Heights (mm) <b>2135, 2440, 2745, 3050, 3660</b>	<b>Medium Rivet</b> Widths (mm) <b>1830</b>	<b>Medium Rivet</b> Depths (mm) <b>305, 457, 610, 762, 915, 1220</b>	Usage <b>Multipurpose Storage, Heavy &amp; Bulky Items, Archiving, Garment Storage, Reel Storage</b>	Beams: <b>Steel</b> Grey RAL7038 **Orange RAL2002	<b>Medium Rivet</b> Shelf UDL <b>230-300kg</b>
Uprights can be cut to a specific size	<b>J Rivet</b> Widths (mm) <b>915, 1220</b>	<b>J Rivet</b> Depths (mm) <b>305, 457, 610</b>		Shelves/Decks <b>Chipboard 15-18mm Solid Steel Wire Mesh</b>	<b>J Rivet</b> Shelf UDL <b>120-150kg</b>
					Max Bay Load <b>up to 2800kg</b>

\*\*Heavy Rivet Only


# Design and plan your Rivet Racking layout

## Calculating Exact Dimensions of the Bay & Run of Bays


Front View (side by side connected bays)



Side View (back to back connected bays)




Footprint





**H** Nominal Height\*  
**W** Nominal Width\*  
**D** Nominal Depth\*  
**CE** Clear Entry between uprights

\* Dimensions used in price tables

## Rivet Racking Bay Loading (kgs)



## Rivet Upright



	J Rivet	Z Rivet	Heavy Rivet
<b>A</b>	98mm	98mm	125mm
<b>B</b>	see below ① how to calculate exact Shelf Pitch		
<b>C</b>	B minus D	B minus D	B minus D
<b>D</b>	30mm	54mm	88mm

**A** Minimum First Shelf Level Height  
**B** Shelf Pitch - Distance between levels  
**C** Clear Entry - Useable space between shelf levels  
**D** Shelf Thickness - Beam and chipboard

## ① How can you calculate exact Shelf Pitch (B)

Height of item stored + Shelf Thickness divided by **38.1**  
 = Round decimal up to the next whole number and multiply by **38.1**

e.g. 320mm (Height of stored items) + 88mm (Heavy Rivet) / 38.1  
 = 10.7 rounded up to 11 x 38.1 = 419.1mm Shelf Pitch

① Remember, if your shelving's height to depth ratio is greater than 4:1, the bay should be fixed to the floor or to the wall!

# Rivet Racking accessories and components

### 1. J Rivet Beam

Decking is flush with the top of the beam

### 2. Notched Side Beam

Used with tubes to create rails

### 3. Rivet Upright

Uprights can be up to 3660mm high

### 4. Tie Plate

Connects two bays together

### 5. Plastic Feet

Comes as a standard with every bay

### 6. Metal Foot

Allows the bay to be floor fixed

### 7. Heavy Rivet Beam

Decking sits on top of the beam

### 8. Tray Shelf

Reversed medium rivet 'L' beams

### 11. Deck Support

Adds strength to shelf levels

### 10. Wall Bracket

Allows the bay to be wall fixed

### 9. Chipboard Deck

Rivet Racking uses 15mm and 18mm decks

**i For stability and safety, each Rivet Racking bay should have a minimum of 3 levels.**



**RIVET RACKING**

Fully adjustable, multi-purpose, heavy duty storage



Rivet Racking 1830 x 2440 x 610mm Blue/Orange



Deck Supports add strength to shelf levels



Strong & Sturdy shelf capacities up to 600kg



#### Bay Colour Options



For Blue Uprights with Orange Shelves add /BO to the end of your chosen price code.



For Blue Uprights with Grey Shelves add /BG to the end of your chosen price code.

#### Rubber Mallet



MALLET

#### Tie Plate



RR8/SET4 Set of 4

#### Wall Bracket



RR5/WBKT

#### Metal Feet



RR5/SET4 Set of 4

#### Floor Fixing



FFM8X50 M8x50



Remember, if your shelving's height to depth ratio is greater than 4:1, the bay should be fixed to the floor or to the wall!

Available in two different colour schemes

Wide Open Bays				+Add Extra Shelves
	H x W x D (mm)	Bay Code	Shelf Load (kg)	Shelf Code
W915mm	1830 x 915 x 305	RRB/18/09/03/4	600	RRS/09/03
	1830 x 915 x 457	RRB/18/09/04/4	600	RRS/09/04
	1830 x 915 x 610	RRB/18/09/06/4	600	RRS/09/06
	1830 x 915 x 762	RRB/18/09/07/4	600	RRS/09/07
	1830 x 915 x 915	RRB/18/09/09/4	600	RRS/09/09
	1830 x 915 x 1220	RRB/18/09/12/4	600	RRS/09/12
W1220mm	1830 x 1220 x 305	RRB/18/12/03/4	550	RRS/12/03
	1830 x 1220 x 457	RRB/18/12/04/4	550	RRS/12/04
	1830 x 1220 x 610	RRB/18/12/06/4	550	RRS/12/06
	1830 x 1220 x 762	RRB/18/12/07/4	550	RRS/12/07
	1830 x 1220 x 915	RRB/18/12/09/4	550	RRS/12/09
	1830 x 1220 x 1220	RRB/18/12/12/4	550	RRS/12/12
W1525mm	1830 x 1525 x 305	RRB/18/15/03/4	500	RRS/15/03
	1830 x 1525 x 457	RRB/18/15/04/4	500	RRS/15/04
	1830 x 1525 x 610	RRB/18/15/06/4	500	RRS/15/06
	1830 x 1525 x 762	RRB/18/15/07/4	500	RRS/15/07
	1830 x 1525 x 915	RRB/18/15/09/4	500	RRS/15/09
	1830 x 1525 x 1220	RRB/18/15/12/4	500	RRS/15/12
W1830mm	1830 x 1830 x 305	RRB/18/18/03/4	500	RRS/18/03
	1830 x 1830 x 457	RRB/18/18/04/4	500	RRS/18/04
	⊙ 1830 x 1830 x 610	RRB/18/18/06/4	500	RRS/18/06
	1830 x 1830 x 762	RRB/18/18/07/4	500	RRS/18/07
	1830 x 1830 x 915	RRB/18/18/09/4	500	RRS/18/09
	1830 x 1830 x 1220	RRB/18/18/12/4	500	RRS/18/12
W2135mm	1830 x 2135 x 305	RRB/18/21/03/4	450	RRS/21/03
	1830 x 2135 x 457	RRB/18/21/04/4	450	RRS/21/04
	1830 x 2135 x 610	RRB/18/21/06/4	450	RRS/21/06
	1830 x 2135 x 762	RRB/18/21/07/4	450	RRS/21/07
	1830 x 2135 x 915	RRB/18/21/09/4	450	RRS/21/09
	1830 x 2135 x 1220	RRB/18/21/12/4	450	RRS/21/12
W2440mm	1830 x 2440 x 305	RRB/18/24/03/4	400	RRS/24/03
	1830 x 2440 x 457	RRB/18/24/04/4	400	RRS/24/04
	⊙ 1830 x 2440 x 610	RRB/18/24/06/4	400	RRS/24/06
	1830 x 2440 x 762	RRB/18/24/07/4	400	RRS/24/07
	1830 x 2440 x 915	RRB/18/24/09/4	400	RRS/24/09
	1830 x 2440 x 1220	RRB/18/24/12/4	400	RRS/24/12


ⓘ Price includes four levels, uprights, plastic feet, face and side beams, deck supports\* and chipboard decks for all levels (\*except 915mm wide).



⊙ Rivet Racking 1830 x 1830 x 610mm Blue/Grey

+For Taller Bays Add

Extra Height	Code
2135mm	RRB/21/-/-/3
2440mm	RRB/24/-/-/3
2745mm	RRB/27/-/-/3
3050mm	RRB/30/-/-/3
3660mm	RRB/36/-/-/3



ⓘ **Heavy Rivet is perfect for heavy duty items with shelf loads up to 600kg.**



**RIVET RACKING CHIPBOARD DECKING**




Made with high quality, robust materials



● Rivet Racking 1830 x 2440 x 610mm Blue/Grey



Strong & Sturdy shelf capacities up to 600kg



Deck Supports add strength to shelf levels



#### Bay Colour Options



For Blue Uprights with Orange Shelves add /BO to the end of your chosen price code.



For Blue Uprights with Grey Shelves add /BG to the end of your chosen price code.

#### Rubber Mallet



MALLET

#### Tie Plate




RR8/SET4 Set of 4

#### Wall Bracket



RR5/WBKT

#### Metal Feet



RR5/SET4 Set of 4

#### Floor Fixing



FFM8X50 M8x50

Our heavy rivet is designed for even the toughest workplace. Call now to order yours.



# Perfect for the warehouse, storeroom or workshop

Wide Open Bays				+Add Extra Shelves
	H x W x D (mm)	Bay Code	Shelf Load (kg)	Shelf Code
W915mm	1830 x 915 x 305	RRB/18/09/03/5	600	RRS/09/03
	⊙ 1830 x 915 x 457	RRB/18/09/04/5	600	RRS/09/04
	1830 x 915 x 610	RRB/18/09/06/5	600	RRS/09/06
	1830 x 915 x 762	RRB/18/09/07/5	600	RRS/09/07
	1830 x 915 x 915	RRB/18/09/09/5	600	RRS/09/09
	1830 x 915 x 1220	RRB/18/09/12/5	600	RRS/09/12
W1220mm	1830 x 1220 x 305	RRB/18/12/03/5	550	RRS/12/03
	1830 x 1220 x 457	RRB/18/12/04/5	550	RRS/12/04
	1830 x 1220 x 610	RRB/18/12/06/5	550	RRS/12/06
	1830 x 1220 x 762	RRB/18/12/07/5	550	RRS/12/07
	1830 x 1220 x 915	RRB/18/12/09/5	550	RRS/12/09
	1830 x 1220 x 1220	RRB/18/12/12/5	550	RRS/12/12
W1525mm	1830 x 1525 x 305	RRB/18/15/03/5	500	RRS/15/03
	1830 x 1525 x 457	RRB/18/15/04/5	500	RRS/15/04
	1830 x 1525 x 610	RRB/18/15/06/5	500	RRS/15/06
	1830 x 1525 x 762	RRB/18/15/07/5	500	RRS/15/07
	1830 x 1525 x 915	RRB/18/15/09/5	500	RRS/15/09
	1830 x 1525 x 1220	RRB/18/15/12/5	500	RRS/15/12
W1830mm	1830 x 1830 x 305	RRB/18/18/03/5	500	RRS/18/03
	1830 x 1830 x 457	RRB/18/18/04/5	500	RRS/18/04
	⊙ 1830 x 1830 x 610	RRB/18/18/06/5	500	RRS/18/06
	1830 x 1830 x 762	RRB/18/18/07/5	500	RRS/18/07
	1830 x 1830 x 915	RRB/18/18/09/5	500	RRS/18/09
	1830 x 1830 x 1220	RRB/18/18/12/5	500	RRS/18/12
W2135mm	1830 x 2135 x 305	RRB/18/21/03/5	450	RRS/21/03
	1830 x 2135 x 457	RRB/18/21/04/5	450	RRS/21/04
	1830 x 2135 x 610	RRB/18/21/06/5	450	RRS/21/06
	1830 x 2135 x 762	RRB/18/21/07/5	450	RRS/21/07
	1830 x 2135 x 915	RRB/18/21/09/5	450	RRS/21/09
	1830 x 2135 x 1220	RRB/18/21/12/5	450	RRS/21/12
W2440mm	1830 x 2440 x 305	RRB/18/24/03/5	400	RRS/24/03
	1830 x 2440 x 457	RRB/18/24/04/5	400	RRS/24/04
	1830 x 2440 x 610	RRB/18/24/06/5	400	RRS/24/06
	1830 x 2440 x 762	RRB/18/24/07/5	400	RRS/24/07
	1830 x 2440 x 915	RRB/18/24/09/5	400	RRS/24/09
	1830 x 2440 x 1220	RRB/18/24/12/5	400	RRS/24/12


ⓘ Price includes five levels, uprights, plastic feet, face and side beams, deck supports\* and chipboard decks for all levels (\*except 915mm wide).

## +For Taller Bays Add


Extra Height	Code
Bays 2135mm	RRB/21/-/-/5
Bays 2440mm	RRB/24/-/-/5
Bays 2745mm	RRB/27/-/-/5
Bays 3050mm	RRB/30/-/-/5
Bays 3660mm	RRB/36/-/-/5

## Available Heights (mm)

(width shown 1830mm)



⊙ Rivet Racking 1830 x 915 x 457mm Blue/Orange



# Solid Steel Decking



Available Heights (mm)  
(width shown 1830mm)







+For Taller Bays Add	
Extra Height	Code
2135mm	RRB/21/-/-/3
2440mm	RRB/24/-/-/3
2745mm	RRB/27/-/-/3
3050mm	RRB/30/-/-/3
3660mm	RRB/36/-/-/3

Size - HxWxD (mm)	Bay Code	Shelf Load/Kgs	Shelf Code
1830 x 915 x 457	RRBSD/18/09/04/4	360	RRSSD/09/04
1830 x 915 x 610	RRBSD/18/09/06/4	360	RRSSD/09/06
1830 x 915 x 762	RRBSD/18/09/07/4	360	RRSSD/09/07
1830 x 915 x 915	RRBSD/18/09/09/4	300	RRSSD/09/09
1830 x 915 x 1220	RRBSD/18/09/12/4	270	RRSSD/09/12
1830 x 1220 x 457	RRBSD/18/12/04/4	480	RRSSD/12/04
1830 x 1220 x 610	RRBSD/18/12/06/4	480	RRSSD/12/06
1830 x 1220 x 762	RRBSD/18/12/07/4	480	RRSSD/12/07
1830 x 1220 x 915	RRBSD/18/12/09/4	400	RRSSD/12/09
1830 x 1220 x 1220	RRBSD/18/12/12/4	360	RRSSD/12/12
1830 x 1830 x 457	RRBSD/18/18/04/4	500	RRSSD/18/04
1830 x 1830 x 610	RRBSD/18/18/06/4	500	RRSSD/18/06
1830 x 1830 x 762	RRBSD/18/18/07/4	500	RRSSD/18/07
1830 x 1830 x 915	RRBSD/18/18/09/4	500	RRSSD/18/09
1830 x 1830 x 1220	RRBSD/18/18/12/4	500	RRSSD/18/12
1830 x 2135 x 457	RRBSD/18/21/04/4	450	RRSSD/21/04
1830 x 2135 x 610	RRBSD/18/21/06/4	450	RRSSD/21/06
1830 x 2135 x 762	RRBSD/18/21/07/4	450	RRSSD/21/07
1830 x 2135 x 915	RRBSD/18/21/09/4	450	RRSSD/21/09
1830 x 2135 x 1220	RRBSD/18/21/12/4	450	RRSSD/21/12
1830 x 2440 x 457	RRBSD/18/24/04/4	400	RRSSD/24/04
1830 x 2440 x 610	RRBSD/18/24/06/4	400	RRSSD/24/06
1830 x 2440 x 762	RRBSD/18/24/07/4	400	RRSSD/24/07
1830 x 2440 x 915	RRBSD/18/24/09/4	400	RRSSD/24/09
1830 x 2440 x 1220	RRBSD/18/24/12/4	400	RRSSD/24/12

all bays come with uprights, plastic feet, perimeter beams, deck supports & galvanised steel decking.

● Rivet Racking 1830 x 1830 x 610mm Blue/Grey

Tie Plate	Wall Bracket	Metal Feet	Floor Fixing
			
RR8/SET4 Set of 4	RR5/WBKT	RR5/SET4 Set of 4	FFM8X50 M8x50

ⓘ Remember, if your shelving's height to depth ratio is greater than 4:1, the bay should be fixed to the floor or to the wall!

# Wire Mesh Decking



Size - HxWxD (mm)	Bay Code	Shelf Load/Kgs	Shelf Code
1830 x 915 x 457	RRBWD/18/09/04/4	350	RRSWD/09/04
1830 x 915 x 610	RRBWD/18/09/06/4	350	RRSWD/09/06
1830 x 915 x 762	RRBWD/18/09/07/4	325	RRSWD/09/07
1830 x 915 x 915	RRBWD/18/09/09/4	300	RRSWD/09/09
1830 x 915 x 1220	RRBWD/18/09/12/4	250	RRSWD/09/12
1830 x 1220 x 457	RRBWD/18/12/04/4	350	RRSWD/12/04
1830 x 1220 x 610	RRBWD/18/12/06/4	350	RRSWD/12/06
1830 x 1220 x 762	RRBWD/18/12/07/4	325	RRSWD/12/07
1830 x 1220 x 915	RRBWD/18/12/09/4	300	RRSWD/12/09
1830 x 1220 x 1220	RRBWD/18/12/12/4	250	RRSWD/12/12
1830 x 1830 x 457	RRBWD/18/18/04/4	500	RRSWD/18/04
1830 x 1830 x 610	RRBWD/18/18/06/4	500	RRSWD/18/06
1830 x 1830 x 762	RRBWD/18/18/07/4	500	RRSWD/18/07
1830 x 1830 x 915	RRBWD/18/18/09/4	500	RRSWD/18/09
1830 x 1830 x 1220	RRBWD/18/18/12/4	500	RRSWD/18/12
1830 x 2135 x 457	RRBWD/18/21/04/4	450	RRSWD/21/04
1830 x 2135 x 610	RRBWD/18/21/06/4	450	RRSWD/21/06
1830 x 2135 x 762	RRBWD/18/21/07/4	450	RRSWD/21/07
1830 x 2135 x 915	RRBWD/18/21/09/4	450	RRSWD/21/09
1830 x 2135 x 1220	RRBWD/18/21/12/4	450	RRSWD/21/12
1830 x 2440 x 457	RRBWD/18/24/04/4	400	RRSWD/24/04
1830 x 2440 x 610	RRBWD/18/24/06/4	400	RRSWD/24/06
1830 x 2440 x 762	RRBWD/18/24/07/4	400	RRSWD/24/07
1830 x 2440 x 915	RRBWD/18/24/09/4	400	RRSWD/24/09
1830 x 2440 x 1220	RRBWD/18/24/12/4	400	RRSWD/24/12

all bays come with uprights, plastic feet, perimeter beams, deck supports & wire mesh decking.

## Rubber Mallet



MALLET

## Tie Plate




RR8/SET4 Set of 4

## Wall Bracket



RR5/WBKT

## Metal Feet



RR5/SET4 Set of 4

## Floor Fixing



FFM8X50 M8x50

❗ For stability and safety, each Rivet Racking bay should have a minimum of 3 levels.





# Our lowest priced Rivet Shelving system



Run of J Rivet bays connected with Tie Plates

Rubber Mallet	Tie Plate	Wall Bracket	Metal Feet	Floor Fixing
MALLET	RR8/SET4 Set of 4	RR5/WBKT	RR5/SET4 Set of 4	FFM8X50 M8x50

## J RIVET


### Fully flexible, low cost shelving system

Our J Rivet system offers unbeatable strength at an incredible price, manufactured to the high quality you have come to expect from one of the UK's leading suppliers.

The shallow J beam profile provides increased storage capacity whilst maintaining excellent strength. To maximise flexibility, our J Rivet range is compatible with our incredible Heavy Rivet range.

The system is simple to erect yet has all the strength you are likely to need with a bay load of up to 2800kg. The bays simply tap together with a rubber mallet so you can organize your storage in a fraction of the time it can take with more traditional systems.

With the average time to assemble a bay being just 5 minutes, you will be amazed at how easy it is to create large installations.



J Rivet beam profile


# Strong, sturdy and simple to build



● J Rivet Bay 1830 x 915 x 457mm



Available Heights (mm)  
(width shown 915mm)



J Rivet Bays					+Add Extra Shelf
	H x W x D (mm)	Bay Code	Shelf Load (kg)	Bay Price	Shelf Code
W915mm	1830 x 915 x 305	JRB/18/09/03/5/BG	150		JRS/09/03/GY
	1830 x 915 x 457	JRB/18/09/04/5/BG	150		JRS/09/04/GY
	1830 x 915 x 610	JRB/18/09/06/5/BG	150		JRS/09/06/GY
W1220mm	1830 x 1220 x 305	JRB/18/12/03/5/BG	120		JRS/12/03/GY
	1830 x 1220 x 457	JRB/18/12/04/5/BG	120		JRS/12/04/GY
	1830 x 1220 x 610	JRB/18/12/06/5/BG	120		JRS/12/06/GY

① Price includes five levels, uprights, plastic feet, face and side beams and chipboard decks for all levels

+For Taller Bays Add	
2135mm	JRB/21/-/-/5/BG
2440mm	JRB/24/-/-/5/BG
2745mm	JRB/27/-/-/5/BG
3050mm	JRB/30/-/-/5/BG
3660mm	JRB/36/-/-/5/BG

5  
YEAR  
Guarantee

3  
DAYS  
Delivery

10  
MINS  
Assembly

Boltless

Available with plastic bins

J RIVET WITH PLASTIC BINS

① Divider option available. Please contact the sales team for more information.

2800  
KG  
Bay Load

Storeroom

Workshop

Warehouse



Medium Duty Rivet 1830 x 1830 x 610mm

Medium Rivet Bays			+Adding Extra Shelf
H x W x D (mm)	Bay Code	Shelf Load (kg)	Shelf Code
1830 x 1830 x 305	MRB/18/18/03/4/BG	300	MRS/18/03/GY
1830 x 1830 x 457	MRB/18/18/04/4/BG	300	MRS/18/04/GY
1830 x 1830 x 610	MRB/18/18/06/4/BG	300	MRS/18/06/GY
1830 x 1830 x 762	MRB/18/18/07/4/BG	280	MRS/18/07/GY
1830 x 1830 x 915	MRB/18/18/09/4/BG	250	MRS/18/09/GY
1830 x 1830 x 1220	MRB/18/18/12/4/BG	230	MRS/18/12/GY

Price includes four levels, uprights, plastic feet, face and side beams, deck supports and chipboard decks


## MEDIUM RIVET

Our Medium Rivet uses a lighter 1830mm "L" shape face beam, which offers shelf loads of up to 300kgs (UDL). Medium Rivet is a cost effective solution for storing long or bulky items.

Medium Rivet bays are available in depths from 305mm to 1220mm deep and are compatible with any of the standard upright heights from the Heavy duty range.



Available Heights (mm)



+For Taller Bays Add	
Extra Height	Code
2135mm	MRB/21/-/-/4/BG
2440mm	MRB/24/-/-/4/BG
2745mm	MRB/27/-/-/4/BG
3050mm	MRB/30/-/-/4/BG
3660mm	MRB/36/-/-/4/BG

### Rubber Mallet



MALLET

### Tie Plate



RR8/SET4 Set of 4

### Wall Bracket



RR5/WBKT

### Metal Feet



RR5/SET4 Set of 4

### Floor Fixing



FFM8x50 M8x50

Remember, if your shelving height to depth ratio is greater than 4:1, the bay should be fixed to the floor or to the wall.



## RIVET DIVIDER SYSTEM


Our Rivet Divider System provides an effective way to store loose or awkward items. The bays provide multiple locations for separating individual products.

The system uses our Heavy Rivet Racking solution with bespoke shelves, dividers and cladding. This creates a cost effective divider system with strength and easy installation. As well as standard bays we can offer bespoke designs.

① Will suit any height or depth



① Fix divider to any position



### Bay Colour Options



For Blue Uprights with Orange Shelves add /BO to the end of your chosen price code.



For Blue Uprights with Grey Shelves add /BG to the end of your chosen price code.



● Rivet Divider System 1830 x 1525 x 457 mm

Heavy Rivet Divider System			+ Extra Compartment Dividers		+ Side Cladding (1830mm high - Price per Frame)	
H x W x D (mm)	Bay Code	Shelf Load (kgs)	D x H (mm)	Code	H x D (mm)	Code
1830 x 1525 x 457	RRCD/18/15/04/4	500	457 x 571	RRCD/45/57	1830 x 457	ZRC/18/04/SC
1830 x 1525 x 610	RRCD/18/15/06/4	500	610 x 571	RRCD/61/57	1830 x 610	ZRC/18/06/SC
1830 x 1830 x 457	RRCD/18/18/04/4	500	457 x 571	RRCD/45/57	1830 x 457	ZRC/18/04/SC
1830 x 1830 x 610	RRCD/18/18/06/4	500	610 x 571	RRCD/61/57	1830 x 610	ZRC/18/06/SC
1830 x 2440 x 457	RRCD/18/24/04/4	400	457 x 571	RRCD/45/57	1830 x 457	ZRC/18/04/SC
1830 x 2440 x 610	RRCD/18/24/06/4	400	610 x 571	RRCD/61/57	1830 x 610	ZRC/18/06/SC

① All bays are supplied with four levels, uprights, plastic feet, perimeter beams, deck supports, chipboard decking, dividers, brackets and fixings. Dividers are supplied with brackets. Side cladding is constructed from 18mm Chipboard and is supplied with all required fixings and washers. (Some drilling and fixing required). Available in blue/grey and blue/orange.

① Our divider system is fully adjustable without fuss. Call us to see how our Rivet Divider System can be configured to suit your needs.






J Rivet MFC 1830 x 915 x 457

## J RIVET MFC

Our J Rivet MFC range offers the same strength, simplicity and cost effectiveness of our standard J Rivet solution, but with premium melamine shelving.

Our J Rivet MFC bays come with five wipe-down, light grey shelves as standard and a choice of two widths and three depths. As with the standard model, the average assembly time for the J Rivet MFC is just five minutes.



J Rivet central beam profile



### Rubber Mallet



MALLET

### Tie Plate



RR8/SET4 Set of 4

### Wall Bracket



RR5/WBKT

### Metal Feet



RR5/SET4 Set of 4

### Floor Fixing



FFM8X50 M8x50

J Rivet MFC Bays			+Adding Extra Shelf
H x W x D (mm)	Bay Code	Shelf Load (kg)	Shelf Code
1830 x 915 x 305	JRB/M/18/09/03/5/BG	150	JRS/M/09/03/GY
1830 x 915 x 457	JRB/M/18/09/04/5/BG	150	JRS/M/09/04/GY
1830 x 915 x 610	JRB/M/18/09/06/5/BG	150	JRS/M/09/06/GY
1830 x 1220 x 305	JRB/M/18/12/03/5/BG	120	JRS/M/12/03/GY
1830 x 1220 x 457	JRB/M/18/12/04/5/BG	120	JRS/M/12/04/GY
1830 x 1220 x 610	JRB/M/18/12/06/5/BG	120	JRS/M/12/06/GY

+For Taller Bays Add	
Extra Height	Code
2135mm	JRB/M/21/-/-/5/BG
2440mm	JRB/M/24/-/-/5/BG
2745mm	JRB/M/27/-/-/5/BG
3050mm	JRB/M/30/-/-/5/BG
3660mm	JRB/M/36/-/-/5/BG


J Rivet MFC Bays come with five melamine shelf levels as standard. Bay price also includes uprights, plastic feet, face and side beams. Extra shelves and height can be added.

Did you know you can fully assemble J Rivet MFC in just five minutes?

## HEAVY RIVET MFC

The Heavy Rivet MFC offers the same incredible rigidity of the standard model combined with clean, wipe down melamine shelving.

Heavy Rivet MFC offers incredible shelf loading capacities of up to 500kg. The hard wearing edged MFC shelving finish offers additional resilience and is extremely easy to maintain.



Heavy Rivet beam profile 1830, 2135 & 2440 wide



Heavy Rivet MFC Bays		+Adding Extra Shelf	
H x W x D (mm)	Bay Code	Shelf Load (kg)	Shelf Code
1830 x 1830 x 610	RRB/M/18/18/06/4	500	RRS/M/18/06
1830 x 1830 x 762	RRB/M/18/18/07/4	500	RRS/M/18/07
1830 x 1830 x 915	RRB/M/18/18/09/4	500	RRS/M/18/09
1830 x 2135 x 610	RRB/M/18/21/06/4	450	RRS/M/21/06
1830 x 2135 x 762	RRB/M/18/21/07/4	450	RRS/M/21/07
1830 x 2135 x 915	RRB/M/18/21/09/4	450	RRS/M/21/09
1830 x 2440 x 610	RRB/M/18/24/06/4	400	RRS/M/24/06
1830 x 2440 x 762	RRB/M/18/24/07/4	400	RRS/M/24/07
1830 x 2440 x 915	RRB/M/18/24/09/4	400	RRS/M/24/09

+For Taller Bays Add	
Extra Height	Code
2135mm	RRB/M/21/--/4
2440mm	RRB/M/24/--/4
2745mm	RRB/M/27/--/4
3050mm	RRB/M/30/--/4
3660mm	RRB/M/36/--/4

### Bay Colour Options



For Blue Uprights with Orange Shelves add /BO to the end of your chosen price code.



For Blue Uprights with Grey Shelves add /BG to the end of your chosen price code.

Heavy Rivet MFC Bays come with four melamine shelf levels as standard. Bay price also includes uprights, plastic feet, face and side beams.

Rivet Racking MFC uses a central deck support which not only supports the melamine panel but ties the front and back beams together.



# Shelf Bins & Additional Dividers


NEW PRODUCT!

If you need a strong, robust and versatile bin storage solution, at a competitive price – then look no further.

Our new range of Shelf Bins have been designed to offer a range of bins in “Big Sizes” for storing large parts or increased volumes. They can fit both small parts shelving systems as well as larger bays, such as Rivet or Longspan.

They have many new features, such as internal dividers that securely locate into 7 different locations. There is also an integral back stop allowing the bin to be suspended out from the shelving, for ease of picking.

With a semi-open front and a large labelling area below, ensures items can be identified quickly. The bins are available in Blue shockproof plastic and can be nested when not in use to save space.



Shelf Bins		
D x W x H(mm)	Code	Colour
300x280x200mm	SFB302820	Blue
450x280x200mm	SFB452820	Blue
450x420x200mm	SFB454220	Blue
600x280x200mm	SFB602820	Blue
600x420x200mm	SFB604220	Blue

Add Dividers		
W x H(mm)	Code	Colour
280x200mm	SFD2820	Black
420x200mm	SFD4220	Black

## Plastic Bin Features

- 1 Integral back stop
- 2 Profiled sides for extra strength
- 3 Nestable design – space saving
- 4 Large labelling area
- 5 Semi-open fronted design
- 6 7 divider positions in each bin
- 7 Dividers positively slot into the bin

Rivet racking with shelf bins provides high density small parts solutions.

# Rivet Racking Bays with Bins



**Rivet Racking with 280mm Shelf Bins**

H x W x D (mm)	Bin Qty	Code
1980 x 915 x 305	18	RRSFB03A
1980 x 915 x 457	18	RRSFB04A
1980 x 915 x 610	18	RRSFB06A

① Price includes Rivet Racking bay with 7 shelf levels and 18 No. shelf bins 280mm wide.(Dividers not included)

**Rivet Racking with 420mm Shelf Bins**

H x W x D (mm)	Bin Qty	Code
1980 x 915 x 457	12	RRSFB04B
1980 x 915 x 610	12	RRSFB06B

① Price includes Rivet Racking bay with 7 shelf levels and 12 No. 420mm wide shelf bins.(Dividers not included)

**Rivet Racking with mixed 420mm & 280mm Shelf Bins**

H x W x D (mm)	Bin Qty	Code
1980 x 915 x 457	15	RRSFB04C
1980 x 915 x 610	15	RRSFB06C

① Price includes Rivet Racking bay with 7 shelf levels and 9 No. 280mm and 6 No. 420mm wide shelf bins. (Dividers not included)



# Keep cable reels organised

## A new solution for organising and dispensing cable and items stored in reels.

The simple side beam supports a 25mm diameter tube which can hold a variety of drums or reels. The beam is notched so the tubes can be placed in 5 different positions. Each level is then fitted with a face beam to enable the material to be passed to the user and conveniently cut to length.

The units come as either static racks or as a low level mobile trolley. Bays are available in either 915 or 1220mm wide and 610mm deep.



● Cable Reel Trolley 915 x 915 x 610 mm



5 different positions for the tube



Braked castors for additional safety



● Cable Reel Rack 1830 x 915 x 610 mm

### Mobile Cable Reel Storage / Bench

H x W x D (mm)	Code	Tube Load (kg)
● 880 x 915 x 610	RRCT/09/09/06/2/BG	70

Price includes uprights, base frame with swivel castors (2 braked), chipboard decks and two levels with notched beams, support beams and 4 zinc coated tubes



### Cable Reel Rack - 1830mm high

H x W x D (mm)	Code	Tube Load (kg)
● 1830 x 915 x 610	RRCB/18/09/06/4/BG	70
1830 x 1220 x 610	RRCB/18/12/06/4/BG	60

Price includes uprights, plastic feet, chipboard decks and four levels with notched beams, support beams and 8 zinc coated tubes

If you cannot find the right size for your application, please call us for more customised options.



## RIVET GARMENT RACKS

The perfect storage solution for any bulk garment hanging requirement. All constructed from Rivet racking components for simplicity and ease of assembly.

The 25mm zinc coated tube slots into place on the notched beams and can be located in five different positions. This can provide a single rail centrally positioned or two rails located on each face of the rack providing twice the capacity. Each storage level can be adjusted every 38mm.



Two single rail garment bays connected with tie plates



## Bulk garment hanging storage solution



Single Rail Garment Bay 2135 x 915 x 610 mm



Double Rail Garment Bay 2135 x 915 x 610 mm

### Single Rail Garment Bay - 2 Levels

H x W x D (mm)	Code	Tube Load (kg)
2135 x 915 x 610	RRGB/SG/21/09/06/2/BG	70
2135 x 1220 x 610	RRGB/SG/21/12/06/2/BG	60

### Double Rail Garment Bay - 2 Levels

H x W x D (mm)	Code	Tube Load (kg)
2135 x 915 x 610	RRGB/DG/21/09/06/2/BG	70
2135 x 1220 x 610	RRGB/DG/21/12/06/2/BG	60

Price includes uprights, plastic feet, chipboard decks for top and bottom shelves, two levels with notched beams, support beams and 2 or 4 zinc coated tubes

**Need wider heavy duty garment rails? See our Longspan garment solution**



# Utilise space with our high density Archive solution



● Double Box Deep Rivet Archive 3050 x 1830 x 915 with 100 boxes on 5 levels

## Rubber Mallet



MALLET

## Tie Plate



RR8/SET4 Set of 4

## Wall Bracket



RR5/WBKT

## Metal Feet



RR5/SET4 Set of 4

## Floor Fixing



FFM8X50 M8x50

## ARCHIVE STORAGE SOLUTIONS

**Our Rivet Archive range is the perfect solution for high density paper storage and archiving.**

Our range of Archive Storage Solutions is formed of our Heavy Rivet range combined with high quality Heavy Duty Archive boxes. Each individual box offers a loading capacity of up to 20kg, with shelves supporting a UDL of up to 500kg.

Rivet Archive is available in two depths, three heights and two widths and is perfect for the storeroom, workshop or warehouse.

## Need More Boxes?


Our Heavy Duty Archive box and lid are designed to hold 20kgs of paper. The robust construction means documents will be securely and safely stored. The boxes come flat packed and are easy to assemble. Boxes come with handle holes for easy transportation and the internal dimensions are 250H x 330W x 390D.



H x W x D (mm)	Code
270 x 350 x 430	AK0020AB/10



### Rivet Archive - 1525mm Wide



	H x W x D (mm)	Shelf Levels	Code	Box Qty
Single Box Deep Depth 457mm	1830x1525x457mm (*1966mm)	3	RRAK15/24	24
	2440x1525x457mm (*2614mm)	4	RRAK15/32	32
	3050x1525x457mm (*3262mm)	5	RRAK15/40	40
Double Box Deep Depth 915mm	1830x1525x915mm (*1966mm)	3	RRAK15/48	48
	2440x1525x915mm (*2614mm)	4	RRAK15/64	64
	3050x1525x915mm (*3262mm)	5	RRAK15/80	80

\*Height to top of top box

### Rivet Archive - 1830mm Wide



	H x W x D (mm)	Shelf Levels	Code	Box Qty
Single Box Deep Depth 457mm	1830x1830x457mm (*1966mm)	3	RRAK18/30	30
	2440x1830x457mm (*2614mm)	4	RRAK18/40	40
	3050x1830x457mm (*3262mm)	5	RRAK18/50	50
Double Box Deep Depth 915mm	1830x1830x915mm (*1966mm)	3	RRAK18/60	60
	2440x1830x915mm (*2614mm)	4	RRAK18/80	80
	3050x1830x915mm (*3262mm)	5	RRAK18/100	100

\*Height to top of top box

① Price includes uprights, plastic feet, perimeter beams, deck supports, chipboard decks and archive boxes with lids

## Rivet Racking Archive Storage



① Single Box Deep Rivet Archive 1830 x 1830 x 457 with 30 boxes on 3 levels



Available in Blue/Orange (/BO) or Blue/Grey (/BG)



RIVET RACKING ARCHIVE

Rivet Racking uses a central deck support which not only supports the chipboard panel but ties the two face beams together.



# RACKING365

WAREHOUSE EQUIPMENT SOLUTIONS



**EXPRESS DELIVERY  
AVAILABLE**



**DELIVERED FREE  
WITHIN FIVE DAYS**



**HIGH QUALITY  
GUARANTEED**



**GREAT VALUE  
PRODUCTS**



01553 666018



[www.racking365.co.uk](http://www.racking365.co.uk)



[sales@racking365.co.uk](mailto:sales@racking365.co.uk)